Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S10	9	("5231275" "5262622" "5269566"). uref.	USPAT	OR	ON	2008/01/30 15:38
S11	112	((cavity recess\$4 engrav\$6 embed\$5 indent\$7 void\$4) with fill\$4 with (code bar\$1cod\$4 indicia (machine with readable)))	US-PGPUB	OR	ON	2008/01/30 15:38
S12	1	palti.in. and pill	USPAT	OR	ON	2008/01/30 15:41
S13	2	jamara and cyr	USPAT	OR	ON	2008/01/30 15:43
S14	117	((cavit\$4 recess\$4 engrav\$6 embed\$5 indent\$7 void\$4 pit) with fill\$4 with (upper top surfac\$4 flush\$4 abut\$4)) and ((code bar\$1cod\$4 indicia (machine with readable)) with (cavit\$4 recess\$4 engrav\$6 embed\$5 indent\$7 void\$4 pit))	US-PGPUB	OR .	ON	2008/01/30 15:46
S15	225	((cavit\$4 recess\$4 engrav\$6 embed\$5 indent\$7 void\$4 pit) with fill\$4 with (upper top surfac\$4 flush\$4 abut\$4)) and ((code bar\$1cod\$4 indicia (machine with readable)) with (cavit\$4 recess\$4 engrav\$6 embed\$5 indent\$7 void\$4 pit))	USPAT	OR	ON	2008/01/30 15:49
S16	29	3d with bar\$1cod\$4	USPAT	OR	ON	2008/01/30 16:40
S18	17	((cavit\$4 recess\$4 engrav\$6 embed\$5 indent\$7 void\$4 pit) with fill\$4 with (upper top surfac\$4 flush\$4 abut\$4)) and ((code bar\$1cod\$4 indicia (machine with readable)) with (cavit\$4 recess\$4 engrav\$6 embed\$5 indent\$7 void\$4 pit))	FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 16:43
S20	53	((cavit\$4 recess\$4 engrav\$6 embed\$5 indent\$7 void\$4 pit) with fill\$4) and ((code bar\$1cod\$4 indicia (machine with readable)) with (cavit\$4 recess\$4 engrav\$6 embed\$5 indent\$7 void\$4 pit)) and ("235"/\$.ccls."	USPAT	OR	ON	2008/01/30 16:46
S21		((cavit\$4 recess\$4 engrav\$6 embed\$5 indent\$7 void\$4 pit) with empt\$4) and ((code bar\$1cod\$4 indicia (machine with readable)) with (cavit\$4 recess\$4 engrav\$6 embed\$5 indent\$7 void\$4 pit)) and ("235"/\$.ccls." "283"/\$.ccls.)	USPAT	OR	ON	2008/01/30 16:50

	·		T		- <del></del>	
S22	187	((cavit\$4 recess\$4 engrav\$6 embed\$5 indent\$7 void\$4 pit) with empt\$4) and ((code bar\$1cod\$4 indicia (machine with readable)) with (cavit\$4 recess\$4 engrav\$6 embed\$5 indent\$7 void\$4 pit))	USPAT	OR	ON .	2008/01/30 16:50
S23	125	((cavit\$4 recess\$4 engrav\$6 embed\$5 indent\$7 void\$4 pit) with empt\$4) and ((code bar\$1cod\$4 indicia (machine with readable)) with (cavit\$4 recess\$4 engrav\$6 embed\$5 indent\$7 void\$4 pit))	US-PGPUB	OR	ON	2008/01/30 16:55
S24	112	((cavity recess\$4 engrav\$6 embed\$5 indent\$7 void\$4) with fill\$4 with (code bar\$1cod\$4 indicia (machine with readable)))	US-PGPUB	OR	ON	2008/01/30 17:01
S26	380	(3d "3"\$1dimension\$4 (three adj dimension\$4)) with (bar\$1cod\$4 (bar adj cod\$4))	USPAT	OR	ON	2008/01/30 17:03
S27	533	(3d "3"\$1dimension\$4 (three adj dimension\$4)) with (bar\$1cod\$4 (bar adj cod\$4))	US-PGPUB	OR	ON	2008/01/30 17:09
S28	. 526	((cavit\$4 recess\$4 engrav\$6 embed\$5 indent\$7 void\$4 pit) with depth\$4) and ((code bar\$1cod\$4 indicia (machine with readable)) with (cavit\$4 recess\$4 engrav\$6 embed\$5 indent\$7 void\$4 pit))	US-PGPUB	OR	ON	2008/01/30 17:09
S29	870	((cavit\$4 recess\$4 engrav\$6 embed\$5 indent\$7 void\$4 pit) with depth\$4) and ((code bar\$1cod\$4 indicia (machine with readable)) with (cavit\$4 recess\$4 engrav\$6 embed\$5 indent\$7 void\$4 pit))	USPAT	OR	ON	2008/01/30 17:10
S30	0	((cavit\$4 recess\$4 engrav\$6 embed\$5 indent\$7 void\$4 pit) with depth\$4) and ((code bar\$1cod\$4 indicia (machine with readable)) with (cavit\$4 recess\$4 engrav\$6 embed\$5 indent\$7 void\$4 pit)) and jamara	USPAT	OR	ON	2008/01/30 17:10
S31	61	((cavit\$4 recess\$4 engrav\$6 embed\$5 indent\$7 void\$4 pit) with depth\$4) and ((code bar\$1cod\$4 indicia (machine with readable)) with (cavit\$4 recess\$4 engrav\$6 embed\$5 indent\$7 void\$4 pit)) and ("235"/\$.ccls." "283"/\$.ccls.)	USPAT	OR	ON	2008/01/30 17:11

S32   23   ((cavit\$4 recess\$4 engray\$6 embed\$5 indent\$7 void\$4 pit) with depth\$4) and ((code bar\$1cod\$4 indicia (machine with readable)) with (cavit\$4 recess\$4 engray\$6 embed\$5 indent\$7 void\$4 pit) with (code bar\$1cod\$4 indicia (machine with readable)) with (cavit\$4 recess\$4 engray\$6 embed\$5 indent\$7 void\$4 pit) with (tall\$4 height height) and ((code bar\$1cod\$4 indicia (machine with readable)) with (cavit\$4 recess\$4 engray\$6 embed\$5 indent\$7 void\$4 pit) with (tall\$4 height height) and ((code bar\$1cod\$4 indicia (machine with readable)) with (cavit\$4 recess\$4 engray\$6 embed\$5 indent\$7 void\$4 pit) with (tall\$4 height height) and ((code bar\$1cod\$4 indicia (machine with readable)) with (cavit\$4 recess\$4 engray\$6 embed\$5 indent\$7 void\$4 pit) with (tall\$4 height height) and ((code bar\$1cod\$4 indicia (machine with readable)) with (cavit\$4 recess\$4 engray\$6 embed\$5 indent\$7 void\$4 pit) with (tall\$4 height height)) and ((code bar\$1cod\$4 indicia (machine with readable)) with (cavit\$4 recess\$4 engray\$6 embed\$5 indent\$7 void\$4 pit) with (tall\$4 height height)) and ((code bar\$1cod\$4 indicia (machine with readable)) with (cavit\$4 recess\$4 engray\$6 embed\$5 indent\$7 void\$4 pit ush (avait\$4 recess\$4 engray\$6 embed\$5 indent\$7 void\$4 pit ush (avait\$4 recess\$4 engray\$6 embed\$5 indent\$7 void\$4 pit ush (avait\$4 recess\$4 engray\$6 embed\$5 indent\$7 void\$4 pit etch\$4 cut\$4) with (depth\$4 pit etch\$4 cut\$4) with (depth\$4 pit etch\$4 cut\$4)) and ("235"/\$.ccls." uspart on the code bar\$1 tood\$4 indicia (machine with readable)) with (cavit\$4 recess\$4 engray\$6 embed\$5 indent\$7 void\$4 pit etch\$4 cut\$4)) and ("235"/\$.ccls." uspart on the code bar\$1 tood\$4 indicia (machine with readable) with (cavit\$4 recess\$4 engray\$6 embed\$5 indent\$7 void\$4 pit etch\$4 cut\$4)) and ("235"/\$.ccls." uspart on the cavit\$4 recess\$6 embed\$5 indent\$7 void\$4 pit etch\$4 cut\$4)) and ("235"/\$.ccls." uspart on the cavit\$4 recess\$6 embed\$5 indent\$7 void\$4 pit etch\$4 cut\$4)) and ("235"/\$.ccls." uspart on the cavit\$4 engray\$6 embed\$5 indent\$7 void\$4 pit etch\$4 cut\$4)) and ("23			· · · · · · · · · · · · · · · · · · ·	<del> </del>	1	T	
S34   89   ((cavit\$4 recess\$4 engrav\$6 embed\$5 indent\$7 void\$4 pit) with (tall\$4 height height)) and ((code bar\$1cod\$4 indical (machine with readable)) with (cavit\$4 recess\$4 engrav\$6 embed\$5 indent\$7 void\$4 pit) with (tall\$4 height height)) and ("235"/\$.ccls." 283"/\$.ccls.")   USPAT   OR	S32	23	embed\$5 indent\$7 void\$4 pit) with depth\$4) and ((code bar\$1cod\$4 indicia (machine with readable)) with (cavit\$4 recess\$4 engrav\$6 embed\$5 indent\$7 void\$4 pit)) and	US-PGPUB	OR	ON	2008/01/30 17:15
embed\$5 indent\$7 void\$4 pit) with (tall\$4 height height) and ((code bar\$1cod\$4 indical (machine with readable)) with (cavit\$4 recess\$4 engrav\$6 embed\$5 indent\$7 void\$4 pit) with (tall\$4 height height)) with (cavit\$4 recess\$4 embed\$5 indent\$7 void\$4 pit) with (tall\$4 height height)) and ((code bar\$1cod\$4 indical (machine with readable)) with (cavit\$4 recess\$4 engrav\$6 embed\$5 indent\$7 void\$4 pit) with (reall\$4 height height)) and ((code bar\$1cod\$4 indical (machine with readable)) with (cavit\$4 recess\$4 engrav\$6 embed\$5 indent\$7 void\$4 pit)) and ("235"/\$.ccls. "283"/\$.ccls. "283"/\$.c	S33	39	"5700998".uref.	USPAT	OR	ON	2008/01/30 17:16
embed\$5 indent\$7 void\$4 pit) with (tall\$4 height height) and ((code bar\$1cod\$4 indicia (machine with readable)) with (cavit\$4 recess\$4 engrav\$6 embed\$5 indent\$7 void\$4 pit)) and ("235"/\$.ccls. "283"/\$.ccls. ")   S36   2 ("6867769" "6868347").pn.	S34	89	embed\$5 indent\$7 void\$4 pit) with (tall\$4 height height)) and ((code bar\$1cod\$4 indicia (machine with readable)) with (cavit\$4 recess\$4 engrav\$6 embed\$5 indent\$7 void\$4	US-PGPUB	OR	ON	2008/01/30 17:33
S37   2 ("20020115373" "20010056309"), pn.   US-PGPUB   OR   OFF   2008/01/31 09:56	S35	136	embed\$5 indent\$7 void\$4 pit) with (tall\$4 height height)) and ((code bar\$1cod\$4 indicia (machine with readable)) with (cavit\$4 recess\$4 engrav\$6 embed\$5 indent\$7 void\$4	USPAT	OR	ON	2008/01/30 17:34
S38   6	S36	2	("6867769" "6868347").pn.	USPAT	OR	OFF	2008/01/31 09:55
"4929402" "5109589" "5684713" "6623687").pn.  S39  4 ("6701491" "6701390" "6671866" "6575218").pn.  S40  330  ((cavit\$4 recess\$4 engrav\$6 embed\$5 indent\$7 void\$4 pit etch\$4 cut\$4) with (depth\$4 fill\$4 empt\$5)) and ((pattern\$4 marking mark code bar\$1cod\$4 indicia (machine with readable)) with (cavit\$4 recess\$4 engrav\$6 embed\$5 indent\$7 void\$4 pit etch\$4 cut\$4)) and ("235"/\$.ccls.  "283"/\$.ccls.)  S41  302  235/489.ccls.  USPAT  USPAT  OR  ON  2008/01/31 10:06	S37	. 2	•	US-PGPUB	OR	OFF	2008/01/31 09:56
"6575218").pn.	S38	6	"4929402","5109589" "5684713"		OR	OFF	2008/01/31 09:57
embed\$5 indent\$7 void\$4 pit etch\$4 cut\$4) with (depth\$4 fill\$4 empt\$5)) and ((pattern\$4 marking mark code bar\$1cod\$4 indicia (machine with readable)) with (cavit\$4 recess\$4 engrav\$6 embed\$5 indent\$7 void\$4 pit etch\$4 cut\$4)) and ("235"/\$.ccls. "283"/\$.ccls.)  S41 302 235/489.ccls.  USPAT OR ON 2008/01/31 10:21	S39 .	. 4			OR .	OFF	2008/01/31 09:59
S41 302 235/489.ccls. USPAT OR ON 2008/01/31 10:21		330	embed\$5 indent\$7 void\$4 pit etch\$4 cut\$4) with (depth\$4 fill\$4 empt\$5)) and ((pattern\$4 marking mark code bar\$1cod\$4 indicia (machine with readable)) with (cavit\$4 recess\$4 engrav\$6 embed\$5 indent\$7 void\$4 pit etch\$4 cut\$4)) and ("235"/\$.ccls.	USPAT	OR	ON	2008/01/31 10:06
	S41	302		USPAT	OR	ON	2008/01/31 10:21
		'	· · · ·				

S43		((cavit\$4 recess\$4 engrav\$6 embed\$5 indent\$7 void\$4 pit etch\$4 cut\$4) with (depth\$4 fill\$4 empt\$5)) and ((pattern\$4 marking mark code bar\$1cod\$4 indicia (machine with readable)) with (cavit\$4 recess\$4 engrav\$6 embed\$5 indent\$7 void\$4 pit etch\$4 cut\$4)) and ("235"/\$.ccls."283"/\$.ccls.)	US-PGPUB	OR	ON	2008/01/31 10:38
S44	47	("4879457" "4791284" "3860796"). uref.	USPAT	OR	OFF	2008/01/31 10:46
S45	5	(hollow\$4 with (depth\$4 fill\$4 empt\$5)) and ((pattern\$4 marking mark code bar\$1cod\$4 indicia (machine with readable)) with hollow\$4) and ("235"/\$.ccls."283"/\$.ccls.)	US-PGPUB; USPAT	OR	ON	2008/01/31 10:56
S46	85	235/462.\$.ccls. and (group\$4 with (id identi\$9) with (item product\$4))	USPAT	OR	ON	2008/01/31 16:19
S47	5	"986626"	USPAT	OR	ON	2008/02/01.12:26
S48	0	"20030024679 6499997".pn.	US-PGPUB; USPAT	OR	ON .	2008/02/01 12:29
S49	2	("20030024679" "6499997").pn.	US-PGPUB; USPAT	OR .	ON	2008/02/01 12:31

2/1/08 5:11:56 PM
C:\Documents and Settings\jfranklin\My Documents\EAST\Workspaces\10802106.wsp